Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received during Week ended Feb. 16, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Wisconsin:				
Counties—				
Adams	Jan. 1-31	2		
Dane	do	6		
Dodge	do	1		
Douglas	do	11		
Fond du Lac	do	1		
Iowa	do	6		
La Crosse	do	1		
Marathon	do	11	1	
Outagamie	do	2		
Polk	do	1		
Portage	do	4		
Trempealeau	do	1		
Waushara	do	4		
Wood	do	13		
Total for State		64	1	
Wyoming:				
Counties—				
Albany	Jan. 1-Dec. 31,1911	1		
Converse	do	4		
Fremont	do	17		
Laramie	do	63		
Natrona	do	1		
Sweetwater	do	18		
Total for State		104		
Grand total for the United States		517	1	

For reports received from July 1 to December 29, see Public Health Reports for December 29, 1911. The cumulative table of reported cases of smallpox, heretofore published each week, has been discontinued, and in its place summaries will be published periodically.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED JAN. 27, 1912.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md	558,485	232	22	1	4	....	19	1	....	....	44	27	11	3
Boston, Mass	670,585	233	36	8	102	1	32	....	1	....	43	21	7	1
Chicago, Ill	2,185,283	758	139	16	54	4	153	8	....	....	163	70	15	4
Cleveland, Ohio	560,663	182	23	3	24	1	41	2	....	....	34	12	4	....
New York, N. Y	4,766,883	1,564	264	26	608	10	267	8	4	1	506	195	38	10
Philadelphia, Pa	1,549,008	580	56	16	13	1	25	3	....	....	97	64	30	4
Pittsburgh, Pa	533,905	173	28	5	3	....	22	1	....	....	34	15	8	....
St. Louis, Mo	687,029	235	41	4	7	....	20	....	20	....	53	18	4	1
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y	423,715	152	29	....	11	....	18	....	1	....	15	9	7	1
Cincinnati, Ohio	364,463	141	12	1	7	....	21	2	1	....	30	17	1	1
Detroit, Mich	465,766	172	13	4	....	....	29	2	2	....	....	....	....	....

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Jan. 27, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 300,000 to 500,000 inhabitants—Continued.														
Los Angeles, Cal	319,198	127	3	....	1	....	15	....	7	1	16	23	1	....
Milwaukee, Wis	373,857	139	15	4	99	2	41	2	....	....	24	13	27	6
Newark, N. J	347,469	121	13	....	....	1	14	....	....	....	24	16	3	1
New Orleans, La	339,075	143	7	....	1	....	18	....	4	....	29	21	2	....
San Francisco, Cal	416,912	124	1	1	230	1	8	....	....	....	24	13	1	....
Washington, D. C	331,069	140	8	1	2	....	11	1	....	....	29	21	9	....
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo	213,381	69	3	....	4	....	5	1	....	....	....	9	....	....
Jersey City, N. J	267,779	86	....	....	....	....	....	....	....	....	....	10	....	....
Kansas City, Mo	248,381	22	11	1	2	....	3	....	....	....	3	7	1	1
Providence, R. I	224,326	82	17	....	6	....	13	1	....	....	11	7	....	1
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn	102,054	25	1	1	4	....	3	1	....	....	3	....	1	....
Cambridge, Mass	104,839	33	12	4	....	....	11	1	....	....	10	2	1	....
Columbus, Ohio	181,548	61	9	1	13	1	12	....	1	....	5	10	....	2
Dayton, Ohio	116,577	36	....	....	....	....	....	....	....	....	1	4	1	....
Fall River, Mass	119,295	39	5	3	....	....	2	....	....	....	6	3	....	....
Grand Rapids, Mich	112,571	40	2	....	....	....	5	....	....	....	4	1	5	3
Lowell, Mass	106,294	50	2	....	8	....	7	....	....	....	2	4	1	....
Nashville, Tenn	110,364	42	1	....	2	....	3	....	....	....	7	5	3	....
Oakland, Cal	150,174	45	....	....	3	....	1	....	....	....	1	2	....	1
Omaha, Nebr	124,096	40	1	....	1	....	1	....	....	....	....	1	1	1
Spokane, Wash	104,402	....	....	....	43	....	4	....	14	....	....	3	1	1
Toledo, Ohio	168,497	64	7	2	14	....	9	2	....	....	....	6	10	2
Worcester, Mass	145,986	48	8	1	....	....	19	....	....	....	2	4	....	....
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa	52,127	8	1	1	....	....	1	....	....	....	....	2	1	....
Bayonne, N. J	55,545	17	1	....	....	....	2	....	....	....	2	1	....	....
Brockton, Mass	56,878	15	....	....	39	....	3	....	....	....	5	1	....	....
Camden, N. J	94,538	....	8	1	....	....	1	....	....	....	....	....	1	....
Duluth, Minn	78,466	19	....	....	....	....	2	....	4	....	3	3	1	....
Elizabeth, N. J	73,409	32	3	1	6	....	8	....	....	....	....	2	....	....
Evansville, Ind	69,647	26	3	....	....	....	2	....	7	....	4	4	7	....
Harrisburg, Pa	64,186	13	4	....	....	....	....	....	....	....	6	2	....	....
Hartford, Conn	98,915	8	4	....	....	....	4	2	....	....	4	4	1	....
Hoboken, N. J	70,324	3	....	....	....	....	....	....	....	....	1	....	1	....
Johnstown, Pa	55,482	30	1	....	2	....	1	....	....	....	....	2	....	....
Lawrence, Mass	85,892	26	2	....	1	1	1	....	....	....	2	4	1	....
Lynn, Mass	89,336	20	4	....	7	....	8	....	....	....	4	2	....	....
Manchester, N. H	70,063	21	6	1	2	....	2	....	....	....	1	1	....	....
New Bedford, Mass	96,652	28	1	....	3	....	4	....	....	....	3	2	5	1
Oklahoma City, Okla	64,205	18	....	....	....	....	....	....	....	....	1	2	....	....
Passaic, N. J	54,773	23	3	....	3	....	....	....	....	....	4	1	....	....
Pawtucket, R. I	51,622	....	....	....	....	....	....	1	....	....	....	1	....	....
Peoria, Ill	66,950	36	2	1	1	....	2	....	....	....	....	5	....	....
Reading, Pa	96,071	27	5	....	1	....	2	....	....	....	1	2	2	1
San Antonio, Tex	96,614	14	....	....	18	....	5	....	1	....	....	11	3	....
Schenectady, N. Y	72,826	22	2	....	....	....	3	....	....	....	3	3	....	....
South Bend, Ind	53,684	16	....	....	....	....	1	....	....	....	....	1	4	....
Springfield, Ill	51,678	20	4	....	....	....	....	....	1	....	....	3	2	....
Springfield, Mass	88,926	28	2	....	35	....	9	....	....	....	2	1	2	....
Terre Haute, Ind	58,157	....	3	....	....	....	....	....	....	....	....	4	3	1
Trenton, N. J	96,815	37	3	....	....	....	6	....	....	....	10	3	....	1
Wilkes-Barre, Pa	67,105	26	3	....	148	1	1	....	....	....	....	....	....	1
Wilmington, Del	87,411	26	....	....	....	....	....	....	....	....	....	4	....	....
Yonkers, N. Y	79,803	....	1	....	10	....	5	....	....	....	2	1	....	1

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Jan. 27, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	12	5											
Auburn, N. Y.	34,668	15									1	3		1
Aurora, Ill.	29,807	13	1				1					1		
Berkeley, Cal.	40,434	8			5									
Binghamton, N. Y.	48,443	26	1		1						5	3	1	
Brookline, Mass.	27,792	6	1		3									
Chelsea, Mass.	32,452	10	2		16		2		1			1		
Chicopee, Mass.	25,401	3	1	1	1		1						2	
Danville, Ill.	27,871	18	5				3					4		
Dubuque, Iowa	38,494	10										1		
East Orange, N. J.	34,371	9	2		1		4	1			2		1	
Elmira, N. Y.	37,176	11	1		1							1		
El Paso, Tex.	39,279	22					4		1			5		
Everett, Mass.	33,484	8	2		2		1				1	1	1	
Fitchburg, Mass.	37,826	16	2								2	1		
Haverhill, Mass.	44,115		2		17		2				4	3		
Kalamazoo, Mich.	39,437	13	1		1		1				3	1	1	
Knoxville, Tenn.	36,346	17	1		1				3			5		
La Crosse, Wis.	30,417	19	7				1					2		
Lancaster, Pa.	47,227						1				1		1	
Lexington, Ky.	35,099	16	3		4		1				2	2		
Lynchburg, Va.	29,494	8	2		13		3				1		1	
Malden, Mass.	44,404	11	1		1		5				1	1		
Montgomery, Ala.	38,136	12			3				1		2	3		
Newcastle, Pa.	36,280		3				1						12	
Newport, Ky.	30,309	13	1								1	1		
Newton, Mass.	39,806	8			2							1		
Niagara Falls, N. Y.	30,445	15	3		1								4	1
Norristown, Pa.	27,875	14			29	1	2					1	1	
Orange, N. J.	29,630		1		10		1						2	
Pasadena, Cal.	30,291						3						1	
Pittsfield, Mass.	32,121	11	2											
Portsmouth, Va.	33,190	14	3				2		2			1		
Racine, Wis.	38,002	7	6											
Roanoke, Va.	34,874	13	3		13		2				3	1		1
Rockford, Ill.	45,401	27	2									1		1
Salem, Mass.	43,697	12			2		3					1		
San Diego, Cal.	39,578		1				1				6	6		
South Omaha, Nebr.	26,259	6									2	2		
Superior, Wis.	40,384	14	1				1					3		
Taunton, Mass.	34,259	15	1		3		2							
Waltham, Mass.	27,834	8			16		2				1	1		
West Hoboken, N. J.	35,403	17	6								3			
Wheeling, W. Va.	41,641	15	2		2						3		6	1
Williamsport, Pa.	31,860	7			1		1				2			
Wilmington, N. C.	25,748	14			1		2		7		1	3		
York, Pa.	44,750		2		1						2			
Zanesville, Ohio	28,026	8	4										6	
Cities having less than 25,000 inhabitants.														
Ann Arbor, Mich.	14,817	9										1		
Beaver Falls, Pa.	12,191				1		2						3	
Bennington, Vt.		3					3							
Braddock, Pa.	19,957	8	2				1							
Butler, Pa.	20,782	10	2											
Cambridge, Ohio	11,327	4												
Carbondale, Pa.	17,040	3					4							
Clinton, Mass.	13,075	6									1			
Coffeyville, Kans.	12,687		1										2	
Columbus, Ga.	20,554	5												
Concord, N. H.	21,497	11	1		1									
Cumberland, Md.	21,839	10	1								1	1	4	1
Dunkirk, N. Y.		2	4								1		1	
Galesburg, Ill.	22,089	4	1											
Harrison, N. J.	14,498	3	1											
Homestead, Pa.		5					1							

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Jan. 27, 1912—Continued.

Cities.	Population, United States census 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Smallpox.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Con.														
Kearny, N. J.	18,659		2		1						3			
Kokomo, Ind.	17,010	7					4		4		1	1		
La Fayette, Ind.	20,081	6					1							
Lebanon, Pa.	19,240		4								9		1	
Logansport, Ind.	19,050	7	3	1							2	2		
Manistee, Mich.	12,381						8							
Marinette, Wis.	14,610	4	1		6									
Marlboro, Mass.	14,579	7	1								1	2		
Massillon, Ohio		5									1			
Medford, Mass.	23,150	8			3		1				1			
Melrose, Mass.	15,715	5			7									
Moline, Ill.	24,199	7	1								1	1	2	
Montclair, N. J.	21,150	8									4	1		
Morristown, N. J.	12,507	4									1			
Nanticoke, Pa.	18,857	6	1		14									
Newburyport, Mass.	19,240	4	1								1			
North Adams, Mass.	22,012	6	2	1	3		1				1			
Northampton, Mass.	19,431	8			5		3					1		
Ottumwa, Iowa	22,012	12	1				1				1	2		
Peekskill, N. Y.		6	3								1	1		
Plainfield, N. Y.	22,250	2	1		3								1	
Portsmouth, N. H.					1									
Pottstown, Pa.		7										1		
Rutland, Vt.	18,713	3												
Saratoga Springs, N. Y.		6												
South Bethlehem, Pa.	19,973	13	1		8						4	3	1	
Steelton, Pa.	14,246	5	2						1	1	3	1		
Warren, Pa.	11,081	4												
Wilkinsburg, Pa.	18,924	4	2				2					1	1	
Woburn, Mass.	15,308	5			2									

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (untabulated).

FLORIDA.—Week ended February 3, 1912. Reports from the State show diphtheria present in 5 localities with 13 cases, malaria in 1 locality with 2 cases, smallpox in 8 counties with 68 cases, tuberculosis in 9 localities with 20 cases, typhoid fever in 5 localities with 16 cases.

NEW JERSEY.—Month ended January 10, 1912. Population, 2,537,167. Total number of deaths from all causes 2,694, including diphtheria 46, measles 8, scarlet fever 11, tuberculosis 243, typhoid fever 30.

PENNSYLVANIA.—Reports received from the State department of health show as follows:

Mortality.—Month of November, 1911. Total number of deaths 8,591, including typhoid fever 173, scarlet fever 35, diphtheria 287, measles 19, whooping cough 44, influenza 68, malaria 1, tuberculosis of the lungs 669, tuberculosis of other organs 119, cancer 415,